



VISAKHAPATNAM PORT AUTHORITY
CIVIL ENGINEERING DEPARTMENT
PORT WITH ISO 9001, ISO 14001 & 45001

No. IENG/Env.Cell/APPCB/EC-Compliance/2023
Date: July 1, 2023

To
The Environmental Engineer,
Regional Office,
Andhra Pradesh Pollution Control Board,
Beside RTA Office,
Madhavadhara VUDA Colony,
Visakhapatnam – 530018

Sir,


Sub: APPCB – RO – VSP- Condition wise compliance report along with action plans & relevant Photographs & document details - Reg.

Ref: 1. Order No. APPCB/VSP/VSP/45/CFO/HO/1933 dated: 13.04.2022

With reference to Order cited above, please find here with the condition wise (Half yearly) compliance of the CFO renewal order dated 13.04.2022 for your kind information and records please.

Encl: As above.

Yours faithfully,


CHIEF ENGINEER (i/c)
CHIEF ENGINEER
విశాఖపట్నం పోర్ట్ ట్రస్ట్
Visakhapatnam Port Trust

VISAKHAPATNAM PORT AUTHORITY

Sub: APPCB Consent Order No: APPCB/VSP/VSP/45/CFO/HO/1933- dated: 13.04.2022 and VPT COMPLIANCE.

SI.No	APPCB direction	VPT compliance
1.	SCHEDULED – A Any up-set condition in any industrial plant / activity of the industry, which result in, increased effluent / emission discharge and / or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge/ emission below the limits.	<ul style="list-style-type: none"> Noted, will comply as and when such incidents happen.
2.	The industry should carry out analysis of waste water discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.	<ul style="list-style-type: none"> VPT is not generating any trade effluent since no processing activity is involved in port operations, however the city sewage which is entering into harbor water being treated by establishing a 10 MLD sewage treatment plant being monitored by M/s SV ENVIRO Labs & Consultants fort-nightly. The values of treated effluent are well within the norms (Copies are enclosed as Annexure-I). There are no emissions generated from chimneys, as there is no processing is involved.
3.	All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.	Being Complied.
4.	Not with standing anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.	Noted
5.	The industry shall ensure that there shall not be any change in the process technology, source & composition of raw materials and scope of working without prior approval from the Board.	-NA-
6.	The applicant shall submit Environment statement in Form V before 30 th September every year as per Rule No.14 of E(P) Rules, 1986 & amendments thereof.	<p align="center">Complied.</p> <ul style="list-style-type: none"> Environment statement in Form V is being submitted to the concerned before 30th September every year
7.	The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CFO conditions for obtaining Consent & HW Authorization of the Board.	Noted & being followed
8.	The industry should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board.	Noted & being followed
9.	Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date	Noted